

CERTIFICATE OF THOROUGH EXAMINATION & TEST OF LIFTING EQUIPMENT EC DECLARATION OF CONFORMITY

| Hoist ID & Serial No | Issue Date | Re-Test Date | Item specific Report No |
|----------------------|------------|--------------|-------------------------|
| NL-1396 WA | 24/07/18 | 23/07/19 | 001 |

Equipment Owner

20TEN Show Support

Springfield Works Lloyd Street Heywood OL10 2BT

| Description Of Equipment | |
|--------------------------|-------------------|
| Manufacturer: | CM LODESTAR |
| Model: | NEW LINE MODEL NL |
| Date Of Manufacture: | JANUARY 2014 |
| SWL: | 1000kg |
| Lift Speed: | 4mpm |
| Power Supply: | 415V – 3Ph – 50Hz |
| Control: | Low Voltage |
| Modifications: | NONE |
| Chain Type: | CM DAT STAR |
| Chain Length / HOL: | 21 M |
| Chain Reeve: | Single |
| Chain Limits: | Electrical |
| | |

Scope of Test – Accordance With Manufacturer's Recommendations

This Product has been fully examined externally and internally by a competent person.

This chain has been fully inspected by a competent person.

The hook assemblies have been fully inspected by a competent person.

The motor, chain and hooks have been assembled correctly in accordance to the manufacturer's specifications.

The motor, chain and hooks have been proof tested as a single unit and is found to be free from any defect likely to affect safety by a competent person.

Proof load of +25% has been applied.

This hoist is being maintained and tested as part of an on-going examination scheme.

CE Conformity Declaration

We declare that the Chain Hoist laid out on this Cert, Complies with the requirements of

EC Machinery Directive, '06/42/EC'. Annex 2(a)

EC Low Voltage Directive, '93/68/EEC'.

EC EMC, '93/68/EEC'.

The Chain & Hooks used in the assembly of this unit, all observe the EC Machinery Directive, '06/42/EC'.

CE

Declaration

I hereby declare that the equipment described within this record was inspected & tested in accordance with LOLER Examination and Inspection guidelines 1998.

This Test and Inspection has also been carried out in accordance with manufacturer's guidelines and with our Company Policy and Procedures.

The Hoist has not been modified / re-designed from the original Manufacturers Specification.

This Equipment is found to be free from any fault or defect likely to affect safety.

This Declaration has been made by "The Hoistpital" © 2014

Name: K. Byatt

Signed: Date: 24/07/18

This equipment must be operated in accordance with manufacturers guidelines. No Responsibility is assumed for the consequences of improper use or modification. The EC Declaration of Conformity is only valid if confirmation is received from the end user that the Hoist has been correctly applied, installed and pre use inspection has been carried out, according to the manufacturers operating instructions.



CERTIFICATE OF THOROUGH EXAMINATION & TEST OF LIFTING EQUIPMENT EC DECLARATION OF CONFORMITY

| Hoist ID & Serial No | Issue Date | Re-Test Date | Item specific Report No |
|----------------------|------------|--------------|-------------------------|
| NL-1285 UF | 18/05/18 | 17/05/19 | 001 |

Equipment Owner

20TEN Show Support

Springfield Works Lloyd Street Heywood OL10 2BT

| Description Of Equipment | |
|--------------------------|--------------------|
| Manufacturer: | CM LODESTAR |
| Model: | NEW LINE MODEL NLL |
| Date Of Manufacture: | JUNE 2010 |
| SWL: | 1000kg |
| Lift Speed: | 4mpm |
| Power Supply: | 415V – 3Ph – 50Hz |
| Control: | Low Voltage |
| Modifications: | NONE |
| Chain Type: | CM DAT STAR |
| Chain Length / HOL: | 20 M |
| Chain Reeve: | Single |
| Chain Limits: | Electrical |

Scope of Test – Accordance With Manufacturer's Recommendations

This Product has been fully examined externally and internally by a competent person.

This chain has been fully inspected by a competent person.

The hook assemblies have been fully inspected by a competent person.

The motor, chain and hooks have been assembled correctly in accordance to the manufacturer's specifications.

The motor, chain and hooks have been proof tested as a single unit and is found to be free from any defect likely to affect safety by a competent person.

Proof load of +25% has been applied.

This hoist is being maintained and tested as part of an on-going examination scheme.

CE Conformity Declaration

We declare that the Chain Hoist laid out on this Cert, Complies with the requirements of

EC Machinery Directive, '06/42/EC'. Annex 2(a)

EC Low Voltage Directive, '93/68/EEC'.

EC EMC, '93/68/EEC'.

The Chain & Hooks used in the assembly of this unit, all observe the EC Machinery Directive, '06/42/EC'.

CE

Declaration

I hereby declare that the equipment described within this record was inspected & tested in accordance with LOLER Examination and Inspection guidelines 1998.

This Test and Inspection has also been carried out in accordance with manufacturer's guidelines and with our Company Policy and Procedures.

The Hoist has not been modified / re-designed from the original Manufacturers Specification.

This Equipment is found to be free from any fault or defect likely to affect safety.

This Declaration has been made by "The Hoistpital" © 2014

Name: K. Byatt

Signed: Date: 18/05/18

This equipment must be operated in accordance with manufacturers guidelines. No Responsibility is assumed for the consequences of improper use or modification. The EC Declaration of Conformity is only valid if confirmation is received from the end user that the Hoist has been correctly applied, installed and pre use inspection has been carried out, according to the manufacturers operating instructions.



CERTIFICATE OF THOROUGH EXAMINATION & TEST OF LIFTING EQUIPMENT EC DECLARATION OF CONFORMITY

| Hoist ID & Serial No | Issue Date | Re-Test Date | Item specific Report No |
|----------------------|------------|--------------|-------------------------|
| NL-1274 UF | 24/07/18 | 23/07/19 | 001 |

Equipment Owner

20TEN Show Support

Springfield Works Lloyd Street Heywood OL10 2BT

| Description Of Equipment | |
|---------------------------------|--------------------|
| Manufacturer: | CM LODESTAR |
| Model: | NEW LINE MODEL NLL |
| Date Of Manufacture: | JUNE 2010 |
| SWL: | 1000kg |
| Lift Speed: | 4mpm |
| Power Supply: | 415V – 3Ph – 50Hz |
| Control: | Low Voltage |
| Modifications: | NONE |
| Chain Type: | CM DAT STAR |
| Chain Length / HOL: | 21 M |
| Chain Reeve: | Single |
| Chain Limits: | Electrical |

Scope of Test – Accordance With Manufacturer's Recommendations

This Product has been fully examined externally and internally by a competent person.

This chain has been fully inspected by a competent person.

The hook assemblies have been fully inspected by a competent person.

The motor, chain and hooks have been assembled correctly in accordance to the manufacturer's specifications.

The motor, chain and hooks have been proof tested as a single unit and is found to be free from any defect likely to affect safety by a competent person.

Proof load of +25% has been applied.

This hoist is being maintained and tested as part of an on-going examination scheme.

CE Conformity Declaration

We declare that the Chain Hoist laid out on this Cert, Complies with the requirements of

EC Machinery Directive, '06/42/EC'. Annex 2(a)

EC Low Voltage Directive, '93/68/EEC'.

EC EMC, '93/68/EEC'.

The Chain & Hooks used in the assembly of this unit, all observe the EC Machinery Directive, '06/42/EC'.

CE

Declaration

I hereby declare that the equipment described within this record was inspected & tested in accordance with LOLER Examination and Inspection guidelines 1998.

This Test and Inspection has also been carried out in accordance with manufacturer's guidelines and with our Company Policy and Procedures.

The Hoist has not been modified / re-designed from the original Manufacturers Specification.

This Equipment is found to be free from any fault or defect likely to affect safety.

This Declaration has been made by "The Hoistpital" © 2014

Name: K. Byatt

Signed: Date: 24/07/18

This equipment must be operated in accordance with manufacturers guidelines. No Responsibility is assumed for the consequences of improper use or modification. The EC Declaration of Conformity is only valid if confirmation is received from the end user that the Hoist has been correctly applied, installed and pre use inspection has been carried out, according to the manufacturers operating instructions.



CERTIFICATE OF THOROUGH EXAMINATION & TEST OF LIFTING EQUIPMENT EC DECLARATION OF CONFORMITY

| Hoist ID & Serial No | Issue Date | Re-Test Date | Item specific Report No |
|----------------------|------------|--------------|-------------------------|
| NL-1384 WA | 18/05/18 | 17/05/19 | 001 |

Equipment Owner

20TEN Show Support

Springfield Works Lloyd Street Heywood OL10 2BT

| Description Of Equipment | |
|--------------------------|---------------------|
| Manufacturer: | CM LODESTAR |
| Model: | NEW LINE MODEL NLL |
| Date Of Manufacture: | JANUARY 2014 |
| SWL: | 1000kg |
| Lift Speed: | 4mpm |
| Power Supply: | 415V – 3Ph – 50Hz |
| Control: | Low Voltage |
| Modifications: | DOUBLE BRAKE FITTED |
| Chain Type: | CM DAT STAR |
| Chain Length / HOL: | 20 M |
| Chain Reeve: | Single |
| Chain Limits: | Electrical |

Scope of Test - Accordance With Manufacturer's Recommendations

This Product has been fully examined externally and internally by a competent person.

This chain has been fully inspected by a competent person.

The hook assemblies have been fully inspected by a competent person.

The motor, chain and hooks have been assembled correctly in accordance to the manufacturer's specifications.

The motor, chain and hooks have been proof tested as a single unit and is found to be free from any defect likely to affect safety by a competent person.

Proof load of +25% has been applied.

This hoist is being maintained and tested as part of an on-going examination scheme.

CE Conformity Declaration

We declare that the Chain Hoist laid out on this Cert, Complies with the requirements of

EC Machinery Directive, '06/42/EC'. Annex 2(a)

EC Low Voltage Directive, '93/68/EEC'.

EC EMC, '93/68/EEC'.

The Chain & Hooks used in the assembly of this unit, all observe the EC Machinery Directive, '06/42/EC'.

CE

Declaration

I hereby declare that the equipment described within this record was inspected & tested in accordance with LOLER Examination and Inspection guidelines 1998.

This Test and Inspection has also been carried out in accordance with manufacturer's guidelines and with our Company Policy and Procedures.

The Hoist has not been modified / re-designed from the original Manufacturers Specification.

This Equipment is found to be free from any fault or defect likely to affect safety.

This Declaration has been made by "The Hoistpital" © 2014

Name: K. Byatt

Signed: Date: 18/05/18

This equipment must be operated in accordance with manufacturers guidelines. No Responsibility is assumed for the consequences of improper use or modification. The EC Declaration of Conformity is only valid if confirmation is received from the end user that the Hoist has been correctly applied, installed and pre use inspection has been carried out, according to the manufacturers operating instructions.



CERTIFICATE OF THOROUGH EXAMINATION & TEST OF LIFTING EQUIPMENT EC DECLARATION OF CONFORMITY

| Hoist ID & Serial No | Issue Date | Re-Test Date | Item specific Report No |
|----------------------|------------|--------------|-------------------------|
| NL-2385 WY | 24/07/18 | 23/07/19 | 001 |

Equipment Owner

20TEN Show Support

Springfield Works Lloyd Street Heywood OL10 2BT

| Description Of Equipment | |
|--------------------------|-------------------|
| Manufacturer: | CM LODESTAR |
| Model: | NEW LINE MODEL NL |
| Date Of Manufacture: | NOVEMBER 2015 |
| SWL: | 1000kg |
| Lift Speed: | 4mpm |
| Power Supply: | 415V – 3Ph – 50Hz |
| Control: | Low Voltage |
| Modifications: | NONE |
| Chain Type: | CM DAT STAR |
| Chain Length / HOL: | 21 M |
| Chain Reeve: | Single |
| Chain Limits: | Electrical |

Scope of Test – Accordance With Manufacturer's Recommendations

This Product has been fully examined externally and internally by a competent person.

This chain has been fully inspected by a competent person.

The hook assemblies have been fully inspected by a competent person.

The motor, chain and hooks have been assembled correctly in accordance to the manufacturer's specifications.

The motor, chain and hooks have been proof tested as a single unit and is found to be free from any defect likely to affect safety by a competent person.

Proof load of +25% has been applied.

This hoist is being maintained and tested as part of an on-going examination scheme.

CE Conformity Declaration

We declare that the Chain Hoist laid out on this Cert, Complies with the requirements of

EC Machinery Directive, '06/42/EC'. Annex 2(a)

EC Low Voltage Directive, '93/68/EEC'.

EC EMC, '93/68/EEC'.

The Chain & Hooks used in the assembly of this unit, all observe the EC Machinery Directive, '06/42/EC'.

CE

Declaration

I hereby declare that the equipment described within this record was inspected & tested in accordance with LOLER Examination and Inspection guidelines 1998.

This Test and Inspection has also been carried out in accordance with manufacturer's guidelines and with our Company Policy and Procedures.

The Hoist has not been modified / re-designed from the original Manufacturers Specification.

This Equipment is found to be free from any fault or defect likely to affect safety.

This Declaration has been made by "The Hoistpital" © 2014

Name: K. Byatt

Signed: Date: 24/07/18

KBJat

This equipment must be operated in accordance with manufacturers guidelines. No Responsibility is assumed for the consequences of improper use or modification. The EC Declaration of Conformity is only valid if confirmation is received from the end user that the Hoist has been correctly applied, installed and pre use inspection has been carried out, according to the manufacturers operating instructions.



CERTIFICATE OF THOROUGH EXAMINATION & TEST OF LIFTING EQUIPMENT EC DECLARATION OF CONFORMITY

| Hoist ID & Serial No | Issue Date | Re-Test Date | Item specific Report No |
|----------------------|------------|--------------|-------------------------|
| NL-1413 UF | 24/07/18 | 23/07/19 | 001 |

Equipment Owner

20TEN Show Support

Springfield Works Lloyd Street Heywood OL10 2BT

| CM LODESTAR |
|-------------------|
| NEW LINE MODEL NL |
| JUNE 2010 |
| 1000kg |
| 4mpm |
| 415V – 3Ph – 50Hz |
| Low Voltage |
| NONE |
| CM DAT STAR |
| 21 M |
| Single |
| Electrical |
| |

Scope of Test – Accordance With Manufacturer's Recommendations

This Product has been fully examined externally and internally by a competent person.

This chain has been fully inspected by a competent person.

The hook assemblies have been fully inspected by a competent person.

The motor, chain and hooks have been assembled correctly in accordance to the manufacturer's specifications.

The motor, chain and hooks have been proof tested as a single unit and is found to be free from any defect likely to affect safety by a competent person.

Proof load of +25% has been applied.

This hoist is being maintained and tested as part of an on-going examination scheme.

CE Conformity Declaration

We declare that the Chain Hoist laid out on this Cert, Complies with the requirements of

EC Machinery Directive, '06/42/EC'. Annex 2(a)

EC Low Voltage Directive, '93/68/EEC'.

EC EMC, '93/68/EEC'.

The Chain & Hooks used in the assembly of this unit, all observe the EC Machinery Directive, '06/42/EC'.

CE

Declaration

I hereby declare that the equipment described within this record was inspected & tested in accordance with LOLER Examination and Inspection guidelines 1998.

This Test and Inspection has also been carried out in accordance with manufacturer's guidelines and with our Company Policy and Procedures.

The Hoist has not been modified / re-designed from the original Manufacturers Specification.

This Equipment is found to be free from any fault or defect likely to affect safety.

This Declaration has been made by "The Hoistpital" © 2014

Name: K. Byatt

Signed: Date: 24/07/18

This equipment must be operated in accordance with manufacturers guidelines. No Responsibility is assumed for the consequences of improper use or modification. The EC Declaration of Conformity is only valid if confirmation is received from the end user that the Hoist has been correctly applied, installed and pre use inspection has been carried out, according to the manufacturers operating instructions.



CERTIFICATE OF THOROUGH EXAMINATION & TEST OF LIFTING EQUIPMENT EC DECLARATION OF CONFORMITY

| Hoist ID & Serial No | Issue Date | Re-Test Date | Item specific Report No |
|----------------------|------------|--------------|-------------------------|
| NL-5444 WD | 19/09/18 | 18/09/19 | 001 |

Equipment Owner

20TEN Show Support

Springfield Works Lloyd Street Heywood OL10 2BT

| Description Of Equipment | |
|--------------------------|--------------------|
| Manufacturer: | CM LODESTAR |
| Model: | NEW LINE MODEL NLL |
| Date Of Manufacture: | APRIL 2014 |
| SWL: | 1000kg |
| Lift Speed: | 4mpm |
| Power Supply: | 415V – 3Ph – 50Hz |
| Control: | Low Voltage |
| Modifications: | NONE |
| Chain Type: | CM DAT STAR |
| Chain Length / HOL: | 20 M |
| Chain Reeve: | Single |
| Chain Limits: | Electrical |

Scope of Test – Accordance With Manufacturer's Recommendations

This Product has been fully examined externally and internally by a competent person.

This chain has been fully inspected by a competent person.

The hook assemblies have been fully inspected by a competent person.

The motor, chain and hooks have been assembled correctly in accordance to the manufacturer's specifications.

The motor, chain and hooks have been proof tested as a single unit and is found to be free from any defect likely to affect safety by a competent person.

Proof load of +25% has been applied.

This hoist is being maintained and tested as part of an on-going examination scheme.

CE Conformity Declaration

We declare that the Chain Hoist laid out on this Cert, Complies with the requirements of

EC Machinery Directive, '06/42/EC'. Annex 2(a)

EC Low Voltage Directive, '93/68/EEC'.

EC EMC, '93/68/EEC'.

The Chain & Hooks used in the assembly of this unit, all observe the EC Machinery Directive, '06/42/EC'.

CE

Declaration

I hereby declare that the equipment described within this record was inspected & tested in accordance with LOLER Examination and Inspection guidelines 1998.

This Test and Inspection has also been carried out in accordance with manufacturer's guidelines and with our Company Policy and Procedures.

The Hoist has not been modified / re-designed from the original Manufacturers Specification.

This Equipment is found to be free from any fault or defect likely to affect safety.

This Declaration has been made by "The Hoistpital" © 2014

Name: K. Byatt

Signed: Date: 19/09/18

This equipment must be operated in accordance with manufacturers guidelines. No Responsibility is assumed for the consequences of improper use or modification. The EC Declaration of Conformity is only valid if confirmation is received from the end user that the Hoist has been correctly applied, installed and pre use inspection has been carried out, according to the manufacturers operating instructions.



CERTIFICATE OF THOROUGH EXAMINATION & TEST OF LIFTING EQUIPMENT EC DECLARATION OF CONFORMITY

| Hoist ID & Serial No | Issue Date | Re-Test Date | Item specific Report No |
|----------------------|------------|--------------|-------------------------|
| NL-5453 WD | 24/07/18 | 23/07/19 | 001 |

Equipment Owner

20TEN Show Support

Springfield Works Lloyd Street Heywood OL10 2BT

| Description Of Equipment | |
|---------------------------------|-------------------|
| Manufacturer: | CM LODESTAR |
| Model: | NEW LINE MODEL NL |
| Date Of Manufacture: | APRIL 2014 |
| SWL: | 1000kg |
| Lift Speed: | 4mpm |
| Power Supply: | 415V – 3Ph – 50Hz |
| Control: | Low Voltage |
| Modifications: | NONE |
| Chain Type: | CM DAT STAR |
| Chain Length / HOL: | 21 M |
| Chain Reeve: | Single |
| Chain Limits: | Electrical |

Scope of Test – Accordance With Manufacturer's Recommendations

This Product has been fully examined externally and internally by a competent person.

This chain has been fully inspected by a competent person.

The hook assemblies have been fully inspected by a competent person.

The motor, chain and hooks have been assembled correctly in accordance to the manufacturer's specifications.

The motor, chain and hooks have been proof tested as a single unit and is found to be free from any defect likely to affect safety by a competent person.

Proof load of +25% has been applied.

This hoist is being maintained and tested as part of an on-going examination scheme.

CE Conformity Declaration

We declare that the Chain Hoist laid out on this Cert, Complies with the requirements of

EC Machinery Directive, '06/42/EC'. Annex 2(a)

EC Low Voltage Directive, '93/68/EEC'.

EC EMC, '93/68/EEC'.

The Chain & Hooks used in the assembly of this unit, all observe the EC Machinery Directive, '06/42/EC'.

CE

Declaration

I hereby declare that the equipment described within this record was inspected & tested in accordance with LOLER Examination and Inspection guidelines 1998.

This Test and Inspection has also been carried out in accordance with manufacturer's guidelines and with our Company Policy and Procedures.

The Hoist has not been modified / re-designed from the original Manufacturers Specification.

This Equipment is found to be free from any fault or defect likely to affect safety.

This Declaration has been made by "The Hoistpital" © 2014

Name: K. Byatt

Signed: Date: 24/07/18

This equipment must be operated in accordance with manufacturers guidelines. No Responsibility is assumed for the consequences of improper use or modification. The EC Declaration of Conformity is only valid if confirmation is received from the end user that the Hoist has been correctly applied, installed and pre use inspection has been carried out, according to the manufacturers operating instructions.