

This report complies with the lifting Operation and Lifting Equipment Regulations 1998

INSPECTED BY : D Ward		AUTHENTICATED BY C T Richardson		
PROOF LOAD APPLIED: 321.5KG			OF HOIST: 250KG(1/4T)	
LOAD TEST				
IS THIS EQUIPMENT SAFE TO O		PERATE ?	YES	
		,		
DETAILS OF AINT PROCESS FOORD	I ANTO NEI	ENCED, CESED		
Test and Inspection was carried out in acco DETAILS OF ANY FAULTS FOUND		PLACED/ UESED		
Test and Inspection was carried out in acco		_	elines.	
Test and Examination was carried out at the				
DETAILS OF INSPECTION				
Meters of Chain	250KG(1/4 TON) 18M			
Control Safe Working Load	1	ge controlled LTON)		
Power Supply	415V 3ph !			
Lifting Speed	4m/min	50117		
Lifting Capacity	-	4 TON) Single Fall		
Model	PROSTAR 2			
Serial	SS1961WE			
Lodestar Electric Chain Hoist				
DETAILS OF ITEM TESTED				
			Mar-19	
BL9 7TU			RETEST BEFORE:	
Bury			Mar-18	
27 Elbut Lane			DATE OF EXAMINATION:	
20 Ten Show Support Ltd			SS1961WE	
ISSUED TO:			REPORT NUMBER:	
ISSUED TO :			REPORT NUMBER:	



This report complies with the lifting Operation and Lifting Equipment Regulations 1998

ISSUED TO:			REPORT NUMBER:		
20 Ten Show Support Ltd			SS2761XD		
27 Elbut Lane			DATE OF EXAMINATION:		
Bury			Mar-18		
BL9 7TU			RETEST BEFORE:		
BL3 710			Mar-19		
DETAILS OF ITEM TESTED					
Lodestar Electric Chain Hoist					
Serial	SS2761XD	.=.			
Model	PROSTAR 2				
Lifting Capacity		4 TON) Single Fall			
Lifting Speed	4m/min				
Power Supply	415V 3ph 5				
Control	_	age controlled			
Safe Working Load	250KG(1/4	· TON)			
Meters of Chain	18M				
DETAILS OF INSPECTION					
Test and Examination was carried out at the	premises o	f 20 Ten Show Support	Ltd. Heywood		
Test and Inspection was carried out in accor	dance with	the manufactures guid	elines.		
Test and Inspection was carried out in accor	dance with	LOLER 1998			
DETAILS OF ANY FAULTS FOUND		LACED/ UESED			
IS THIS EQUIPMENT SAI	FE TO C	PERATE ?	YES		
LOAD TEST					
PROOF LOAD APPLIED: 321.5KG		WLL OF HOIST: 250KG(1/4T)			
INSPECTED BY :		AUTHENTICATED BY	:		
D Ward		C T Richardson			
RECOMMENDED D	ATE OF	NEXT INSPECTIO	N MAR 2019		



This report complies with the lifting Operation and Lifting Equipment Regulations 1998

ISSUED TO:			REPORT NUMBER:		
20 Ten Show Support Ltd			SS3008WV		
27 Elbut Lane			DATE OF EXAMINATION:		
Bury			Feb-18		
BL9 7TU			RETEST BEFORE:		
223 7 10			Feb-19		
			100 13		
DETAILS OF ITEM TESTED					
Lodestar Electric Chain Hoist					
Serial	SS3008WV	/			
Model	PROSTAR 2	250			
Lifting Capacity	250KG (1/4	4 TON) Single Fall			
Lifting Speed	4m/min				
Power Supply	415V 3ph !	50HZ			
Control		ge controlled			
Safe Working Load	250KG(1/4	I TON)			
Meters of Chain	18M				
DETAILS OF INSPECTION					
Test and Examination was carried out at th	e premises o	of 20 Ten Show Support	Itd. Heywood		
Test and Inspection was carried out in acco	-				
Test and Inspection was carried out in acco					
DETAILS OF ANY FAULTS FOUND		PLACED/ UESED			
IS THIS EQUIPMENT SA	FE TO C	PERATE ?	YES		
LOAD TEST					
PROOF LOAD APPLIED: 321.	5KG	WLL	OF HOIST: 250KG(1/4T)		
INSPECTED BY :		AUTHENTICATED BY	:		
D Ward		C T Richardson	\bigcirc		
DECOMMENDED	DATE OF	NEVT INSDECTION	ON EER 2010		

RECOMMENDED DATE OF NEXT INSPECTION FEB 2019



This report complies with the lifting Operation and Lifting Equipment Regulations 1998

ISSUED TO:			REP	ORT NUMBER:	
20 Ten Show Support Ltd				SS1966WE	
27 Elbut Lane			DATE C	F EXAMINATION:	
Bury				Feb-18	
BL9 7TU			RF ⁻	TEST BEFORE:	
223 7 7 6				Feb-19	
		ļ.		100 13	
DETAILS OF ITEM TESTED					
Lodestar Electric Chain Hoist					
Serial	SS1966WE				
Model	PROSTAR 2	250			
Lifting Capacity	250KG (1/4	4 TON) Single Fall			
Lifting Speed	4m/min				
Power Supply	415V 3ph !	50HZ			
Control	Low Voltag	ge controlled			
Safe Working Load	TON)				
Meters of Chain	18M				
DETAILS OF INSPECTION					
Test and Examination was carried out at the	e premises o	of 20 Ten Show Support	Ltd. Hevw	ood	
Test and Inspection was carried out in accor	•	• •	•		
Test and Inspection was carried out in acco		-			
DETAILS OF ANY FAULTS FOUND	PARTS REP	LACED/ UESED			
		<u> </u>			
IS THIS EQUIPMENT SA	FE TO C	PERATE ?		YES	
LOAD TEST					
PROOF LOAD APPLIED: 321.5KG		WLL OF HOIST: 250KG(1/4T)			
INSPECTED BY:		AUTHENTICATED BY	:		
D Ward		C T Richardson		\square	
DECOMMARNIDED E	ATE OF	NEVT INCDUCTION	ON FED	2010	

RECOMMENDED DATE OF NEXT INSPECTION FEB 2019



This report complies with the lifting Operation and Lifting Equipment Regulations 1998

ISSUED TO:			REPORT N	UMBFR:
20 Ten Show Support Ltd			SS3000	
27 Elbut Lane			DATE OF EXA	
Bury			Feb-	
BL9 7TU			RETEST B	
			Feb-	19
DETAILS OF ITEM TESTED				
Ladastau Flastuia Chain Haist				
Lodestar Electric Chain Hoist	CC2000\A/\	,		
Serial	SS3000WV			
Model	PROSTAR 2			
Lifting Capacity	1	4 TON) Single Fall		
Lifting Speed	4m/min	-0117		
Power Supply	415V 3ph 5			
Control	_	ge controlled		
Safe Working Load	250KG(1/4	ION)		
Meters of Chain	18M			
DETAILS OF INSPECTION				
Test and Examination was carried out at the	premises o	of 20 Ten Show Support	Ltd. Heywood	
Test and Inspection was carried out in accor	•	• •	•	
Test and Inspection was carried out in accor		-		
DETAILS OF ANY FAULTS FOUND		LACED/ UESED		
IS THIS EQUIPMENT SAI	FE TO C	PERATE ?		YES
LOAD TEST				
PROOF LOAD APPLIED: 321.5KG		WLL	OF HOIST: 250	KG(1/4T)
INSPECTED BY:		AUTHENTICATED BY	:	
D Ward		C T Richardson		R
				. • •
RECOMMENDED D	ΔTF OF	NEXT INSPECTION	ON FFR 2019	



This report complies with the lifting Operation and Lifting Equipment Regulations 1998

ISSUED TO:			REPORT	NUMBER:	
20 Ten Show Support Ltd			SS2	764XD	
27 Elbut Lane			DATE OF EX	KAMINATION:	
Bury				ar-18	
BL9 7TU				BEFORE:	
BL9 710				ar-19	
			IVI	ai-19	
DETAILS OF ITEM TESTED					
DETAILS OF THEIR TESTED					
Lodestar Electric Chain Hoist					
Serial	SS2764XD				
Model	PROSTAR 2	250			
Lifting Capacity	250KG (1/4	4 TON) Single Fall			
Lifting Speed	4m/min	_			
Power Supply	415V 3ph !	50HZ			
Control	Low Voltag	ge controlled			
Safe Working Load	250KG(1/4				
Meters of Chain	18M				
DETAILS OF INSPECTION					
Test and Examination was carried out at th	e premises o	of 20 Ten Show Support	Ltd. Heywood		
Test and Inspection was carried out in acco	ordance with	the manufactures guid	elines.		
Test and Inspection was carried out in acco	ordance with	LOLER 1998			
DETAILS OF ANY FAULTS FOUND	PARTS REP	LACED/ UESED			
IS THIS EQUIPMENT SA	FE TO C	PERATE ?		YES	
LOAD TEST					
PROOF LOAD APPLIED: 321.5KG		WLL OF HOIST: 250KG(1/4T)			
INSPECTED BY :		AUTHENTICATED BY	<u> </u>		
D Ward		C T Richardson	٠	ÎR.	
RECOMMENDED I	ATE OF	NEXT INSPECTIO	N MAR 20	119	



This report complies with the lifting Operation and Lifting Equipment Regulations 1998

INSPECTED BY : D Ward RFCOMMENDED		AUTHENTICATED BY C T Richardson	TRO .
PROOF LOAD APPLIED: 321.5KG		,	OF HOIST: 250KG(1/4T)
IS THIS EQUIPMENT S LOAD TEST	SAFE TO C	PEKAIE!	YES
IS THIS FOLIDMENT 9	SAFE TO C	PERATE ?	YES
Test and Inspection was carried out in ac DETAILS OF ANY FAULTS FOUND		LOLER 1998 LACED/ UESED	
Test and Inspection was carried out in a			elines.
Test and Examination was carried out at	the premises o	of 20 Ten Show Support	Ltd. Heywood
DETAILS OF INSPECTION			
Meters of Chain	18M		
Safe Working Load 250KG(1/4 TON)			
Control	_	ge controlled	
Power Supply	415V 3ph 5	50HZ	
Lifting Speed	4m/min	, 0	
Lifting Capacity		4 TON) Single Fall	
Model	PROSTAR 2		
Lodestar Electric Chain Hoist Serial	SS1954WE		
DETAILS OF ITEM TESTED			
BL9 / 10			Mar-19
BL9 7TU			RETEST BEFORE:
Bury			Mar-18
27 Elbut Lane			DATE OF EXAMINATION:
20 Ten Show Support Ltd			SS1954WE
ISSUED TO:			REPORT NUMBER:

20 Ten Show Support Ltd, Spring Field Works , Heywood OL10 2BP Web: www. 20 ten show support. com-Email: carl@20 ten show support. com-Email: carl@20 ten shows upport. carl@20 ten



This report complies with the lifting Operation and Lifting Equipment Regulations 1998

ISSUED TO:	REPORT NUMBER:				
20 Ten Show Support Ltd	SS1970WE				
27 Elbut Lane			DATE C	F EXAMINATION:	
Bury				Mar-18	
BL9 7TU			RE ⁻	TEST BEFORE:	
523 7.10				Mar-19	
				IVIUI 15	
DETAILS OF ITEM TESTED					
Lodestar Electric Chain Hoist					
Serial	SS1970WE				
Model	PROSTAR 2	250			
Lifting Capacity	250KG (1/4	4 TON) Single Fall			
Lifting Speed	4m/min				
Power Supply	415V 3ph 5	50HZ			
Control	Low Voltag	ge controlled			
Safe Working Load	TON)				
Meters of Chain	18M				
DETAILS OF INSPECTION					
Test and Examination was carried out at the	nramicas o	of 20 Tan Show Sunnort	Itd Hevv	rood	
Test and Inspection was carried out in according	-			oou	
Test and Inspection was carried out in accordance		-	ciiiics.		
DETAILS OF ANY FAULTS FOUND		LACED/ UESED			
IS THIS EQUIPMENT SAFE TO O		PERATE ?		YES	
LOAD TEST					
PROOF LOAD APPLIED: 321.5KG		WLL (OF HOIS	T: 250KG(1/4T)	
INSPECTED BY :		AUTHENTICATED BY	:		
D Ward		C T Richardson		\bigcirc	
-					
DECOMMENDED D	ATE OF	NEVT INCDECTIO		2010	

RECOMMENDED DATE OF NEXT INSPECTION MAR 2019