

# CERTIFICATE OF THOROUGH EXAMINATION & TEST OF LIFTING EQUIPMENT EC DECLARATION OF CONFORMITY

Hoist ID & Serial No	Issue Date	Re-Test Date	Item specific Report No
NL-7832 WR	24/07/18	23/07/19	001

#### **Equipment Owner**

## **20TEN Show Support**

Springfield Works Lloyd Street Heywood OL10 2BT

<b>Description Of Equipment</b>	
Manufacturer:	CM Lodestar
Model:	NLF
Date Of Manufacture:	APRIL 2015
SWL:	500kg
Lift Speed:	4mpm
Power Supply:	415V – 3Ph – 50Hz
Control:	Low Voltage
Modifications:	NONE
Chain Type:	CM DAT STAR
Chain Length / HOL:	25 M
Chain Reeve:	Single
Chain Limits:	Electrical

#### Scope of Test – Accordance With Manufacturer's Recommendations

This Product has been fully examined externally and internally by a competent person.

This chain has been fully inspected by a competent person.

The hook assemblies have been fully inspected by a competent person.

The motor, chain and hooks have been assembled correctly in accordance to manufacturer's specifications.

The motor, chain and hooks have been proof tested as a single unit and is found to be free from any defect likely to affect safety by a competent person.

Proof load of +25% has been applied.

This hoist is being maintained and tested as part of an on-going examination scheme.

### **CE Conformity Declaration**

The Chain Hoist laid out on this Cert, Complies with the requirements of

EC Machinery Directive, '06/42/EC'. Annex 2 (a)

EC Low Voltage Directive, '93/68/EEC'.

EC EMC, '93/68/EEC'.

The Chain & Hooks used in the assembly of this unit, all observe the EC Machinery Directive, '06/42/EC'.

CE

## Declaration

I hereby declare that the equipment described within this record was inspected & tested in accordance with LOLER Examination and Inspection guidelines 1998.

This Test and Inspection has also been carried out in accordance with manufacturer's guidelines and with our Company Policy and Procedures.

The Hoist has not been modified / re-designed from the original Manufacturers Specification.

This Equipment is found to be free from any fault or defect likely to affect safety.

This Declaration has been made by "The Hoistpital" © 2014

Name: K. Byatt

Signed: Date: 24/07/18

This equipment must be operated in accordance with manufacturers guidelines. No Responsibility is assumed for the consequences of improper use or modification. The EC Declaration of Conformity is only valid if confirmation is received from the end user that the Hoist has been correctly applied, installed and pre use inspection has been carried out, according to the manufacturers operating instructions.



# CERTIFICATE OF THOROUGH EXAMINATION & TEST OF LIFTING EQUIPMENT EC DECLARATION OF CONFORMITY

001
l

#### **Equipment Owner**

## **20TEN Show Support**

Springfield Works Lloyd Street Heywood OL10 2BT

<b>Description Of Equipment</b>	
Manufacturer:	CM Lodestar
Model:	NLF
Date Of Manufacture:	APRIL 2015
SWL:	500kg
Lift Speed:	4mpm
Power Supply:	415V – 3Ph – 50Hz
Control:	Low Voltage
Modifications:	NONE
Chain Type:	CM DAT STAR
Chain Length / HOL:	25 M
Chain Reeve:	Single
Chain Limits:	Electrical

#### Scope of Test – Accordance With Manufacturer's Recommendations

This Product has been fully examined externally and internally by a competent person.

This chain has been fully inspected by a competent person.

The hook assemblies have been fully inspected by a competent person.

The motor, chain and hooks have been assembled correctly in accordance to manufacturer's specifications.

The motor, chain and hooks have been proof tested as a single unit and is found to be free from any defect likely to affect safety by a competent person.

Proof load of +25% has been applied.

This hoist is being maintained and tested as part of an on-going examination scheme.

### **CE Conformity Declaration**

The Chain Hoist laid out on this Cert, Complies with the requirements of

EC Machinery Directive, '06/42/EC'. Annex 2 (a)

EC Low Voltage Directive, '93/68/EEC'.

EC EMC, '93/68/EEC'.

The Chain & Hooks used in the assembly of this unit, all observe the EC Machinery Directive, '06/42/EC'.

CE

## Declaration

I hereby declare that the equipment described within this record was inspected & tested in accordance with LOLER Examination and Inspection guidelines 1998.

This Test and Inspection has also been carried out in accordance with manufacturer's guidelines and with our Company Policy and Procedures.

The Hoist has not been modified / re-designed from the original Manufacturers Specification.

This Equipment is found to be free from any fault or defect likely to affect safety.

This Declaration has been made by "The Hoistpital" © 2014

Name: K. Byatt

Signed: Date: 24/07/18

This equipment must be operated in accordance with manufacturers guidelines. No Responsibility is assumed for the consequences of improper use or modification. The EC Declaration of Conformity is only valid if confirmation is received from the end user that the Hoist has been correctly applied, installed and pre use inspection has been carried out, according to the manufacturers operating instructions.



# CERTIFICATE OF THOROUGH EXAMINATION & TEST OF LIFTING EQUIPMENT EC DECLARATION OF CONFORMITY

Hoist ID & Serial No	Issue Date	Re-Test Date	Item specific Report No
NL-3956 WU	24/07/18	23/07/19	001

#### **Equipment Owner**

## **20TEN Show Support**

Springfield Works Lloyd Street Heywood OL10 2BT

<b>Description Of Equipment</b>	
Manufacturer:	CM Lodestar
Model:	NLF
Date Of Manufacture:	JULY 2015
SWL:	500kg
Lift Speed:	4mpm
Power Supply:	415V – 3Ph – 50Hz
Control:	Low Voltage
Modifications:	NONE
Chain Type:	CM DAT STAR
Chain Length / HOL:	25 M
Chain Reeve:	Single
Chain Limits:	Electrical

#### Scope of Test – Accordance With Manufacturer's Recommendations

This Product has been fully examined externally and internally by a competent person.

This chain has been fully inspected by a competent person.

The hook assemblies have been fully inspected by a competent person.

The motor, chain and hooks have been assembled correctly in accordance to manufacturer's specifications.

The motor, chain and hooks have been proof tested as a single unit and is found to be free from any defect likely to affect safety by a competent person.

Proof load of +25% has been applied.

This hoist is being maintained and tested as part of an on-going examination scheme.

#### **CE Conformity Declaration**

The Chain Hoist laid out on this Cert, Complies with the requirements of

EC Machinery Directive, '06/42/EC'. Annex 2 (a)

EC Low Voltage Directive, '93/68/EEC'.

EC EMC, '93/68/EEC'.

The Chain & Hooks used in the assembly of this unit, all observe the EC Machinery Directive, '06/42/EC'.

CE

#### **Declaration**

I hereby declare that the equipment described within this record was inspected & tested in accordance with LOLER Examination and Inspection guidelines 1998.

This Test and Inspection has also been carried out in accordance with manufacturer's guidelines and with our Company Policy and Procedures.

The Hoist has not been modified / re-designed from the original Manufacturers Specification.

This Equipment is found to be free from any fault or defect likely to affect safety.

This Declaration has been made by "The Hoistpital" © 2014

Name: K. Byatt

Signed: Date: 24/07/18

This equipment must be operated in accordance with manufacturers guidelines. No Responsibility is assumed for the consequences of improper use or modification. The EC Declaration of Conformity is only valid if confirmation is received from the end user that the Hoist has been correctly applied, installed and pre use inspection has been carried out, according to the manufacturers operating instructions.



# CERTIFICATE OF THOROUGH EXAMINATION & TEST OF LIFTING EQUIPMENT EC DECLARATION OF CONFORMITY

Hoist ID & Serial No Issue Date	Re-Test Date	Item specific Report No
NL-3834 WZ 24/07/18	23/07/19	001

#### **Equipment Owner**

## **20TEN Show Support**

Springfield Works Lloyd Street Heywood OL10 2BT

<b>Description Of Equipment</b>	
Manufacturer:	CM Lodestar
Model:	NLF
Date Of Manufacture:	DECEMBER 2015
SWL:	500kg
Lift Speed:	4mpm
Power Supply:	415V – 3Ph – 50Hz
Control:	Low Voltage
Modifications:	NONE
Chain Type:	CM DAT STAR
Chain Length / HOL:	25 M
Chain Reeve:	Single
Chain Limits:	Electrical

#### Scope of Test – Accordance With Manufacturer's Recommendations

This Product has been fully examined externally and internally by a competent person.

This chain has been fully inspected by a competent person.

The hook assemblies have been fully inspected by a competent person.

The motor, chain and hooks have been assembled correctly in accordance to manufacturer's specifications.

The motor, chain and hooks have been proof tested as a single unit and is found to be free from any defect likely to affect safety by a competent person.

Proof load of +25% has been applied.

This hoist is being maintained and tested as part of an on-going examination scheme.

### **CE Conformity Declaration**

The Chain Hoist laid out on this Cert, Complies with the requirements of

EC Machinery Directive, '06/42/EC'. Annex 2 (a)

EC Low Voltage Directive, '93/68/EEC'.

EC EMC, '93/68/EEC'.

The Chain & Hooks used in the assembly of this unit, all observe the EC Machinery Directive, '06/42/EC'.

CE

## Declaration

I hereby declare that the equipment described within this record was inspected & tested in accordance with LOLER Examination and Inspection guidelines 1998.

This Test and Inspection has also been carried out in accordance with manufacturer's guidelines and with our Company Policy and Procedures.

The Hoist has not been modified / re-designed from the original Manufacturers Specification.

This Equipment is found to be free from any fault or defect likely to affect safety.

This Declaration has been made by "The Hoistpital" © 2014

Name: K. Byatt

Signed: Date: 24/07/18

This equipment must be operated in accordance with manufacturers guidelines. No Responsibility is assumed for the consequences of improper use or modification. The EC Declaration of Conformity is only valid if confirmation is received from the end user that the Hoist has been correctly applied, installed and pre use inspection has been carried out, according to the manufacturers operating instructions.



# CERTIFICATE OF THOROUGH EXAMINATION & TEST OF LIFTING EQUIPMENT EC DECLARATION OF CONFORMITY

Hoist ID & Serial No	Issue Date	Re-Test Date	Item specific Report No
NL-5445 WD	18/05/18	17/05/19	001

#### **Equipment Owner**

## **20TEN Show Support**

Springfield Works Lloyd Street Heywood OL10 2BT

Description Of Equipment	
Manufacturer:	CM LODESTAR
Model:	NEW LINE MODEL NLL
Date Of Manufacture:	APRIL 2014
SWL:	1000kg
Lift Speed:	4mpm
Power Supply:	415V – 3Ph – 50Hz
Control:	Low Voltage
Modifications:	DOUBLE BRAKE FITTED
Chain Type:	CM DAT STAR
Chain Length / HOL:	21 M
Chain Reeve:	Single
Chain Limits:	Electrical

## Scope of Test – Accordance With Manufacturer's Recommendations

This Product has been fully examined externally and internally by a competent person.

This chain has been fully inspected by a competent person.

The hook assemblies have been fully inspected by a competent person.

The motor, chain and hooks have been assembled correctly in accordance to the manufacturer's specifications.

The motor, chain and hooks have been proof tested as a single unit and is found to be free from any defect likely to affect safety by a competent person.

Proof load of +25% has been applied.

This hoist is being maintained and tested as part of an on-going examination scheme.

#### **CE Conformity Declaration**

We declare that the Chain Hoist laid out on this Cert, Complies with the requirements of

EC Machinery Directive, '06/42/EC'. Annex 2(a)

EC Low Voltage Directive, '93/68/EEC'.

EC EMC, '93/68/EEC'.

The Chain & Hooks used in the assembly of this unit, all observe the EC Machinery Directive, '06/42/EC'.

CE

## Declaration

I hereby declare that the equipment described within this record was inspected & tested in accordance with LOLER Examination and Inspection guidelines 1998.

This Test and Inspection has also been carried out in accordance with manufacturer's guidelines and with our Company Policy and Procedures.

The Hoist has not been modified / re-designed from the original Manufacturers Specification.

This Equipment is found to be free from any fault or defect likely to affect safety.

This Declaration has been made by "The Hoistpital" © 2014

Name: K. Byatt

Signed: Date: 18/05/18

This equipment must be operated in accordance with manufacturers guidelines. No Responsibility is assumed for the consequences of improper use or modification. The EC Declaration of Conformity is only valid if confirmation is received from the end user that the Hoist has been correctly applied, installed and pre use inspection has been carried out, according to the manufacturers operating instructions.



# CERTIFICATE OF THOROUGH EXAMINATION & TEST OF LIFTING EQUIPMENT EC DECLARATION OF CONFORMITY

Hoist ID & Serial No	Issue Date	Re-Test Date	Item specific Report No
NL-2167 VS	18/05/18	17/05/19	001

### **Equipment Owner**

## **20TEN Show Support**

Springfield Works Lloyd Street Heywood OL10 2BT

Description Of Equipment	
Manufacturer:	CM LODESTAR
Model:	NEW LINE MODEL NLL
Date Of Manufacture:	MAY 2013
SWL:	1000kg
Lift Speed:	4mpm
Power Supply:	415V – 3Ph – 50Hz
Control:	Low Voltage
Modifications:	DOUBLE BRAKE FITTED
Chain Type:	CM DAT STAR
Chain Length / HOL:	22 M
Chain Reeve:	Single
Chain Limits:	Electrical

## Scope of Test – Accordance With Manufacturer's Recommendations

This Product has been fully examined externally and internally by a competent person.

This chain has been fully inspected by a competent person.

The hook assemblies have been fully inspected by a competent person.

The motor, chain and hooks have been assembled correctly in accordance to the manufacturer's specifications.

The motor, chain and hooks have been proof tested as a single unit and is found to be free from any defect likely to affect safety by a competent person.

Proof load of +25% has been applied.

This hoist is being maintained and tested as part of an on-going examination scheme.

#### **CE Conformity Declaration**

We declare that the Chain Hoist laid out on this Cert, Complies with the requirements of

EC Machinery Directive, '06/42/EC'. Annex 2(a)

EC Low Voltage Directive, '93/68/EEC'.

EC EMC, '93/68/EEC'.

The Chain & Hooks used in the assembly of this unit, all observe the EC Machinery Directive, '06/42/EC'.

CE

#### **Declaration**

I hereby declare that the equipment described within this record was inspected & tested in accordance with LOLER Examination and Inspection guidelines 1998.

This Test and Inspection has also been carried out in accordance with manufacturer's guidelines and with our Company Policy and Procedures.

The Hoist has not been modified / re-designed from the original Manufacturers Specification.

This Equipment is found to be free from any fault or defect likely to affect safety.

This Declaration has been made by "The Hoistpital" © 2014

Name: K. Byatt

Signed: Date: 18/05/18

This equipment must be operated in accordance with manufacturers guidelines. No Responsibility is assumed for the consequences of improper use or modification. The EC Declaration of Conformity is only valid if confirmation is received from the end user that the Hoist has been correctly applied, installed and pre use inspection has been carried out, according to the manufacturers operating instructions.



# CERTIFICATE OF THOROUGH EXAMINATION & TEST OF LIFTING EQUIPMENT EC DECLARATION OF CONFORMITY

Hoist ID & Serial No	Issue Date	Re-Test Date	Item specific Report No
NL-1385 WA	18/05/18	17/05/19	001

### **Equipment Owner**

## **20TEN Show Support**

Springfield Works Lloyd Street Heywood OL10 2BT

Description Of Equipment	
Manufacturer:	CM LODESTAR
Model:	NEW LINE MODEL NLL
Date Of Manufacture:	JANUARY 2014
SWL:	1000kg
Lift Speed:	4mpm
Power Supply:	415V – 3Ph – 50Hz
Control:	Low Voltage
Modifications:	DOUBLE BRAKE FITTED
Chain Type:	CM DAT STAR
Chain Length / HOL:	21 M
Chain Reeve:	Single
Chain Limits:	Electrical

## Scope of Test – Accordance With Manufacturer's Recommendations

This Product has been fully examined externally and internally by a competent person.

This chain has been fully inspected by a competent person.

The hook assemblies have been fully inspected by a competent person.

The motor, chain and hooks have been assembled correctly in accordance to the manufacturer's specifications.

The motor, chain and hooks have been proof tested as a single unit and is found to be free from any defect likely to affect safety by a competent person.

Proof load of +25% has been applied.

This hoist is being maintained and tested as part of an on-going examination scheme.

#### **CE Conformity Declaration**

We declare that the Chain Hoist laid out on this Cert, Complies with the requirements of

EC Machinery Directive, '06/42/EC'. Annex 2(a)

EC Low Voltage Directive, '93/68/EEC'.

EC EMC, '93/68/EEC'.

The Chain & Hooks used in the assembly of this unit, all observe the EC Machinery Directive, '06/42/EC'.

CE

## Declaration

I hereby declare that the equipment described within this record was inspected & tested in accordance with LOLER Examination and Inspection guidelines 1998.

This Test and Inspection has also been carried out in accordance with manufacturer's guidelines and with our Company Policy and Procedures.

The Hoist has not been modified / re-designed from the original Manufacturers Specification.

This Equipment is found to be free from any fault or defect likely to affect safety.

This Declaration has been made by "The Hoistpital" © 2014

Name: K. Byatt

Signed: Date: 18/05/18

This equipment must be operated in accordance with manufacturers guidelines. No Responsibility is assumed for the consequences of improper use or modification. The EC Declaration of Conformity is only valid if confirmation is received from the end user that the Hoist has been correctly applied, installed and pre use inspection has been carried out, according to the manufacturers operating instructions.



# CERTIFICATE OF THOROUGH EXAMINATION & TEST OF LIFTING EQUIPMENT EC DECLARATION OF CONFORMITY

Hoist ID & Serial No	Issue Date	Re-Test Date	Item specific Report No
L-4977 UL	24/07/18	23/07/19	001

### **Equipment Owner**

## **20TEN Show Support**

Springfield Works Lloyd Street Heywood OL10 2BT

Description Of Equipment	
Manufacturer:	CM LODESTAR
Model:	MODEL L
Date Of Manufacture:	NOVEMBER 2010
SWL:	1000kg
Lift Speed:	4mpm
Power Supply:	415V – 3Ph – 50Hz
Control:	Low Voltage
Modifications:	NONE
Chain Type:	CM DAT STAR
Chain Length / HOL:	21 M
Chain Reeve:	Single
Chain Limits:	Electrical

### Scope of Test – Accordance With Manufacturer's Recommendations

This Product has been fully examined externally and internally by a competent person.

This chain has been fully inspected by a competent person.

The hook assemblies have been fully inspected by a competent person.

The motor, chain and hooks have been assembled correctly in accordance to the manufacturer's specifications.

The motor, chain and hooks have been proof tested as a single unit and is found to be free from any defect likely to affect safety by a competent person.

Proof load of +25% has been applied.

This hoist is being maintained and tested as part of an on-going examination scheme.

#### **CE Conformity Declaration**

We declare that the Chain Hoist laid out on this Cert, Complies with the requirements of

EC Machinery Directive, '06/42/EC'. Annex 2(a)

EC Low Voltage Directive, '93/68/EEC'.

EC EMC, '93/68/EEC'.

The Chain & Hooks used in the assembly of this unit, all observe the EC Machinery Directive, '06/42/EC'.

CE

## Declaration

I hereby declare that the equipment described within this record was inspected & tested in accordance with LOLER Examination and Inspection guidelines 1998.

This Test and Inspection has also been carried out in accordance with manufacturer's guidelines and with our Company Policy and Procedures.

The Hoist has not been modified / re-designed from the original Manufacturers Specification.

This Equipment is found to be free from any fault or defect likely to affect safety.

This Declaration has been made by "The Hoistpital" © 2014

Name: K. Byatt

Signed: Date: 24/07/18

This equipment must be operated in accordance with manufacturers guidelines. No Responsibility is assumed for the consequences of improper use or modification. The EC Declaration of Conformity is only valid if confirmation is received from the end user that the Hoist has been correctly applied, installed and pre use inspection has been carried out, according to the manufacturers operating instructions.